

Safety And Regulatory Information

Safety & Regulatory Information

The following sections contain notices for various countries:

Caution

This product is intended for use with FCC/CE certified computer equipment. Please check the equipment operating/installation manual and/or with the equipment manufacturer to verify/confirm if your equipment is suitable prior to the installation or use of the product.

Notice for USA

FCC Part 15: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

Caution

To comply with the limits of the Class B digital device, pursuant to Part 15 of the FCC Rules, this device must be installed with computer equipment certified to comply with Class B limits. All cables used to connect to the computer and peripherals must be shielded and grounded. Operation with non-certified computers or non-shielded cables may result in interference to radio or television reception.

Modification

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the device.

State of California Proposition 65:

WARNING: Handling the cord(s) on this product may expose you to lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. Wash your hands after handling.

Notice for Canada

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Canadian Class B Statement

This digital device does not exceed the Class B limits for radio noise emissions from digital apparatus as set out in the interference-causing equipment standard entitled "Digital Apparatus," ICES-003 of the Department of Communications.

Cet appareil numérique respecte les limites de bruits radioélectriques applicables aux appareils numériques de Classe B prescrites dans la norme sur le matériel brouilleur: "Appareils Numériques," NMB-003 édictée par le ministre des Communications.

MODIFICATION:

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the device.

Toute modification non approuvée explicitement par le fournisseur de licence de l'appareil peut entraîner l'annulation du droit de l'utilisateur à utiliser l'appareil.

For US only:

Power rating conforming to FTC Amplifier Rule, 16 CFR Part 432:

Speakers: 9 Watts RMS per speaker
(measured @ 8 ohms @ 10% THD @ 120Hz - 20kHz, two channels driven)

May

© 2007. Creative Technology Ltd. All rights reserved. The Creative logo and Creative I-Trigue are either registered trademarks or trademarks of Creative Technology Ltd. in the United States and other countries. All other logos, brand or product names are trademarks or registered trademarks of their respective holders and are hereby recognised as such. All specifications are subject to change without notice. Use of this product is subject to a limited warranty. Actual contents may differ slightly from those pictured.

P/N 03MF15750001 Rev. A

EN English

Specifications

Creative I-Trigue 2300

Power output

Satellite speaker:

9 watts RMS per channel

Signal-to-Noise Ratio: 80dB

Frequency Response: 120Hz - 20kHz

For 11.5V AC input

This product operates from the supplied 11.5V AC 1.6A power adapter.

For 14V DC input

This product operates from the supplied 14V DC 1.7A universal power adapter.

ES Español

Especificaciones

Creative I-Trigue 2300

Salida de alimentación

Altavoz auxiliar:

9 vatios de carga eficaz por canal

Relación de señal a ruido: 80dB

Respuesta de frecuencias: 120Hz a 20kHz

Para la entrada de ca de 11.5 V

Este producto funciona con el adaptador de alimentación de ca de 11.5 V y 1.6 A suministrado.

Para la entrada de cc de 14 V

Este producto funciona con el adaptador de alimentación dc universal de 14 V y 1.7 A suministrado.

TU Türkçe

Spesifikasiyonlar

Creative I-Trigue 2300

Ses çıkışı

Satellite hoparlör:

Kanal başına 9 watt RMS

İşaret-Gürültü Güç Oranı: 80 dB

Frekans Yanıtı: 120 Hz ~ 20 kHz

11.5V AC giriş için

Bu ürün, birlikte gönderilen 11.5V AC 1.6A güç adaptöründen gelen güçle çalışır.

14V DC giriş için

Bu ürün, birlikte gönderilen 14V DC 1.7A evrensel güç adaptöründen gelen güçle çalışır.

JP 日本語

仕様

Creative I-Trigue 2300

出力

サテライトスピーカー:

9W RMS(チャンネル

SNR(SNR比): 80dB

周波数特性: 120Hz ~ 20kHz

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC ユニバーサルアダプター (1.7A) で駆動します。

11.5V AC 入力
この製品は付属の 11.5V AC 電源アダプタ (1.6A) で駆動します。

14V DC 入力
この製品は付属の 14V DC